Leather glove - Welder

<image>

>> Use (*)

Ideal for heavy handling in dry environments, for certain types of welding work (type A) etc.

Metallurgical industry, glassworks, industrial maintenance, molding, demolding ...

(Information given as an indication, it is up to the user to verify if the product is suitable for the intended use).

>> Technical features

- Construction : cut-and-sewn. Fourchettes pattern.
 Straight sewn thumb. Wrist elastic tightening.
 With split reinforcement on the palm and the forefinger.
 With sewn safety cuff.
- Materials : full cow split leather. Cow split reinforcement on palm and forefinger. Sewn with para-aramid thread. Glove completely lined with a cotton fleece for a good insulation against heat

The cuff is lined with a cotton canvas. .

- Color: brown.
- ✓ Sizes : 9 & 10.
- Packing : carton of 50 pairs. - bundle of 10 pairs.

Learn more : www.singer.fr



>> Main advantages

- ✓ Reliability of an ISO9001 manufacturing. ISO14001 certification.
- ✓ Ergonomic fitting with fourchettes pattern that provides excellent dexterity to the user.

900

- ✓ Soft and strong leather. Very comfortable.
- ✓ Protection of the forearm with the cuff. Good protection against convective heat.
- ✓ Fully lined for good insulation.

>> Conformity

This glove has been tested to the following European standards:

- EN 420 : 2003 +A1 : 2009. Protective gloves General requirements and test methods.
- EN 388: 2016. Protective gloves against mechanicals risks.
- EN 407: 2004. Protective gloves against thermal risks (heat and/or fire).
- EN 12477: 2001 +A1: 2005. (Type A). Protective gloves for welders.

It complies with the European Regulation (EU) 2016/425 on Personal Protective Equipment (PPE).

Category II. Intermediate design.

EU type examination certificate (module B) by AITEX. Notified body No 0161.



Your SINGER[®] SAFETY partner'



tection gainst heat



51WELD

EN 388: 2016. Protective gloves against mechanical risks

Mechanical data. Information about levels.	Level 1	Level 2	Level 3	Niveau 4	Level 5	Le	vels ▼	EN 388 : 2016
Abrasion resistance (number of cycles)	100	500	2000	8000	-		4	
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0		2	▏▕▎┎┢═╽
Tear resistance (in Newtons)	10	25	50	75	-	3		
Perforation resistance (in Newtons)	20	60	100	150	-	4		
Cut resistance (as per EN ISO13997) (TDM test)	Level A	Level B	Level C	Level D	Level E	Level F	Level	4234X
«X» means that the glove has not been submitt	ed to the te	est	10	10		00	^	

EN 407 : 2004. Protective gloves against thermal risks (heat and/or fire)

EN 407: 2004		Thermal data	Performance levels chart						
		(tests)	1	2	3	4	Results V		
	a1		≤ 20s	≤ 10s	≤ 3s	≤ 2s	4		
	a2	Burning behaviour	No require- ment	≤ 120s	≤ 25s	≤ 5s			
	b	Contact heat	100°C ≥ 15 s	250°C ≥ 15 s	350°C ≥ 15 s	500°C ≥ 15 s	1		
4 1 3 X 4 X	с	Convective heat	≥4 s	≥7 s	≥ 10 s	≥ 18 s	3		
The performance levels are only for the complete glove, all layers included. «X means that the glove has not been submitted to the test.	d	Radiant heat	≥7 s	≥ 20 s	≥ 50 s	≥ 95 s	X		
	е	Small splashes of molten metal	≥ 10 s	≥ 15 s	≥ 25 s	≥ 35 s	4		
	f	Large splashes of molten metal	30g	60g	120g	200g	x		

a1) After flame time (seconds).

a2) After glow time (seconds).

b) Contact temperature/ Threshold time (seconds).

c) Heat transfer index (HTI) (seconds).

d) Heat transfer (T₂₄) (seconds).

e) Number of droplets which produce a temperature rise of 40 °C.

f) Molten iron (in grams).

EN 12477: 2001 + A1: 2005 Type A. Gants de protection pour soudeurs.

Gloves welders type A, recommended for welding processes other than type B

(type B recommended when dexterity is required, as for T.I.G welding).



