

# DUOCOLOR VE330

DUOCOLOR 330 LATEX CLEANING GLOVE

Model VE330

## Product specifications

Latex with cotton flock lining, double-dipped. Length: 30 cm. Thickness: 0,60 mm.

Support: 100% natural latex.

Flocking: 100% cotton.

### COLOUR

Blue-Yellow

### SIZE

6/7, 7/8, 8/9, 9/10

## Product Use - Risks

Biological

Particules

REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

1: Resistance to abrasion (from 1 to 4)

0: Resistance to cutting (from 1 to 5)

1: Resistance to tear (from 1 to 4)

0: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015, .. Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.

A 2 > 30 mn: Méthanol (A) CAS 67-56-1

K 6 > 480 mn: Sodium hydroxide 40% (K) CAS 1310-73-2

L 3 > 60 mn: Sulphuric acid 96 % (L ) CAS 7664-93-9

M 5 > 240 mn: Nitric acid 65% (M) CAS 7697-37-2

N 2 > 30 mn: Acetic acid 99% (N) CAS 64-19-7

P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1

T 6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.



BACTERIA + FUNGI : BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.

REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

GLOBAL MIGR Food contact - Overall Migration

.. Contact with any type of food

## Item details

Item details	Bar code	COLOUR	SIZE		
VE330BJ06	3295249009533	Blue-Yellow	6/7	144	12
VE330BJ07	3295249009540	Blue-Yellow	7/8	144	12
VE330BJ08	3295249009557	Blue-Yellow	8/9	144	12
VE330BJ09	3295249009564	Blue-Yellow	9/10	144	12